



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
274228SP	14.16	1697	2.31	277	2.08	249	22.5	0.0	7.7	0.0	9.8	0.65
274229SP	8.35	1001	3.94	472	3.22	386	63.1	0.0	24.5	0.0	18.3	1.42
274685SP	14.35	1720	2.79	334	2.79	334	19.4	0.0	0.0	0.0	0.0	0.78
274686SP	8.76	1050	2.19	262	2.19	262	25.0	0.0	0.0	0.0	0.0	1.10
274808SP	13.31	1595	2.85	341	2.85	341	21.4	0.0	0.0	0.0	0.0	0.76
274908SP	13.19	1581	2.84	340	2.84	340	21.5	0.0	0.0	0.0	0.0	0.67
274909SP	7.66	918	4.58	549	4.58	549	59.8	0.0	0.0	0.0	0.0	1.55
281228SP	8.59	1029	3.02	362	3.02	362	35.1	0.0	0.0	0.0	0.0	0.51
281312SP	9.48	1136	2.82	338	2.82	338	29.7	0.0	0.0	0.0	0.0	0.88
281313SP	8.98	1076	2.97	356	2.86	343	36.3	0.0	4.3	0.0	3.5	0.97
281335SP	8.66	1038	2.99	358	2.99	358	34.5	0.0	0.0	0.0	0.0	1.24
281342SP	9.20	1103	2.70	323	2.70	323	29.4	0.0	0.0	0.0	0.0	0.52
281500SP	10.76	1289	0.15	18	0.04	5	64.6	0.0	64.1	0.0	76.5	0.00
282202SP	10.76	1289	3.10	371	3.10	371	28.8	0.0	0.0	0.0	0.0	1.77
282204SP	8.20	983	3.18	381	3.18	381	38.8	0.0	0.0	0.0	0.0	1.32
282208SP	8.13	974	3.16	379	3.16	379	38.9	0.0	0.0	0.0	0.0	0.54
282214SP	8.43	1010	2.93	351	2.93	351	34.8	0.0	0.0	0.0	0.0	1.11
282260SP	8.17	979	3.15	377	3.15	377	38.5	0.0	0.0	0.0	0.0	0.00
283320SP	10.47	1255	0.94	113	0.39	47	66.1	0.0	62.4	0.0	58.3	0.00
283800SP	9.45	1132	0.94	113	0.94	113	10.0	0.0	0.0	0.0	0.0	0.00
286253SP	8.46	1014	3.14	376	3.14	376	37.1	0.0	0.0	0.0	0.0	1.57
286258SP	8.70	1043	3.05	365	3.05	365	35.1	0.0	0.0	0.0	0.0	0.77
286400SP	10.25	1228	2.89	346	2.89	346	28.3	0.0	0.0	0.0	0.0	1.59
286401SP	9.69	1161	2.87	344	2.87	344	29.7	0.0	0.0	0.0	0.0	0.49



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
287102SP	6.84	820	0.00	0	0.00	0	88.7	0.4	88.3	0.4	91.7	0.00
287103SP	10.27	1231	0.00	0	0.00	0	93.9	0.1	93.8	0.1	93.5	0.00
287112SP	7.50	899	0.00	0	0.00	0	0.0	0.0	0.0	0.0	0.0	0.00
287113SP	7.50	899	0.00	0	0.00	0	0.0	0.0	0.0	0.0	0.0	0.00
287190SP	21.59	2587	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
287192SP	19.73	2364	1.97	236	1.97	236	10.0	0.0	0.0	0.0	0.0	0.00
287193SP	21.58	2586	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
287194SP	21.00	2517	2.10	252	2.10	252	10.0	0.0	0.0	0.0	0.0	0.00
287195SP	21.58	2586	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
287196SP	21.58	2586	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
287197SP	23.10	2768	2.31	277	2.31	277	10.0	0.0	0.0	0.0	0.0	0.00
287437SP	8.15	977	8.01	960	8.01	960	98.3	0.1	0.0	0.1	0.0	0.00
287484SP	8.18	980	7.65	916	7.65	916	93.5	0.1	0.0	0.1	0.0	0.00
287750SP	11.28	1352	2.80	335	0.83	99	77.2	0.0	69.8	0.0	70.3	0.02
287950SP	7.98	956	5.18	621	5.18	621	65.0	0.1	0.0	0.1	0.0	0.00
41306SP	10.51	1260	4.21	504	4.21	504	40.0	0.0	0.0	0.0	0.0	1.17
41312SP	8.77	1051	4.31	516	4.31	516	49.2	0.3	0.0	0.3	0.0	1.84
41313SP	8.56	1026	4.60	551	4.60	551	53.7	0.0	0.0	0.0	0.0	1.92
41314SP	8.54	1023	4.59	550	4.59	550	53.8	0.0	0.0	0.0	0.0	1.86
41335SP	8.43	1010	4.59	550	4.59	550	54.5	0.3	0.0	0.3	0.0	1.90
41342SP	8.77	1051	4.34	520	4.34	520	49.5	0.0	0.0	0.0	0.0	1.69
42202SP	10.36	1242	4.21	504	4.21	504	40.6	0.0	0.0	0.0	0.0	1.80
42204SP	8.23	986	4.74	568	4.74	568	57.6	0.0	0.0	0.0	0.0	1.95
42208SP	8.14	975	4.70	563	4.70	563	57.8	0.0	0.0	0.0	0.0	1.98



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
42212SP	8.45	1013	4.48	537	4.48	537	53.0	0.0	0.0	0.0	0.0	1.87
42214SP	8.42	1009	4.50	539	4.50	539	53.5	0.0	0.0	0.0	0.0	1.87
42215SP	8.36	1002	4.50	539	4.50	539	53.9	0.0	0.0	0.0	0.0	1.88
42218SP	8.64	1035	4.36	522	4.36	522	50.5	0.0	0.0	0.0	0.0	1.82
42219SP	8.48	1016	4.64	556	4.64	556	54.8	0.0	0.0	0.0	0.0	1.89
42228SP	8.36	1002	4.64	556	4.64	556	55.5	0.0	0.0	0.0	0.0	1.92
42259SP	8.51	1020	4.62	553	4.62	553	54.3	0.0	0.0	0.0	0.0	1.92
42260SP	8.10	971	4.91	588	4.91	588	60.7	0.0	0.0	0.0	0.0	1.77
42260SP	8.10	971	4.87	583	4.87	583	60.1	0.0	0.0	0.0	0.0	1.75
42900SP	8.62	1033	4.43	531	4.43	531	51.5	0.0	0.0	0.0	0.0	1.85
43270SP	7.86	942	5.13	615	5.13	615	65.2	0.0	0.0	0.0	0.0	4.65
43333SP	8.04	964	4.31	516	4.31	516	53.6	0.0	0.0	0.0	0.0	0.79
43621SP	8.51	1020	3.05	365	3.05	365	35.8	0.0	0.0	0.0	0.0	0.95
43999SP	7.98	956	5.25	629	5.25	629	65.8	0.0	0.0	0.0	0.0	0.89
45127SP	7.52	901	7.52	901	7.52	901	100.0	0.0	0.0	0.0	0.0	0.00
45251SP	7.93	950	7.93	950	7.93	950	100.0	0.1	0.0	0.1	0.0	0.87
45280SP	7.12	853	7.12	853	7.12	853	100.0	0.1	0.0	0.0	0.0	1.17
45290SP	7.12	853	7.12	853	7.12	853	100.0	0.1	0.0	0.1	0.0	1.17
45330SP	6.40	767	6.41	768	6.41	768	100.0	0.0	0.0	0.0	0.0	0.00
45340SP	7.02	841	7.02	841	7.02	841	100.0	0.0	0.0	0.0	0.0	2.61
46253SP	8.46	1014	4.57	547	4.57	547	54.1	0.0	0.0	0.0	0.0	1.88
46258SP	8.78	1052	4.36	522	4.36	522	49.7	0.0	0.0	0.0	0.0	1.76
46400SP	9.47	1135	4.30	515	4.30	515	45.4	0.0	0.0	0.0	0.0	1.82
46401SP	9.41	1128	4.31	516	4.31	516	45.8	0.0	0.0	0.0	0.0	1.82



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
46402SP	9.47	1135	4.37	524	4.37	524	46.2	0.0	0.0	0.0	0.0	1.85
47117SP	7.30	875	7.16	858	7.16	858	98.0	0.0	0.0	0.0	0.0	0.32
47333SP	7.36	882	6.69	801	6.69	801	91.0	0.0	0.0	0.0	0.0	6.06
47444SP	7.97	955	6.25	749	6.25	749	78.5	0.0	0.0	0.0	0.0	0.14
47474SP	7.68	920	5.06	606	5.06	606	65.9	0.0	0.0	0.0	0.0	4.99
47888SP	8.46	1014	7.59	909	7.59	909	89.7	0.0	0.0	0.0	0.0	0.00
48101SP	9.49	1137	4.42	530	4.42	530	46.6	0.0	0.0	0.0	0.0	1.84
48102SP	9.32	1117	4.46	534	4.46	534	47.9	0.0	0.0	0.0	0.0	1.86
48103SP	9.29	1113	4.44	532	4.44	532	47.8	0.0	0.0	0.0	0.0	1.85
48104SP	9.39	1125	4.68	561	4.68	561	49.8	0.0	0.0	0.0	0.0	1.87
48105SP	8.66	1038	4.65	557	4.65	557	53.7	0.0	0.0	0.0	0.0	1.92
48107SP	8.92	1069	4.59	550	4.59	550	51.4	0.0	0.0	0.0	0.0	1.89
48108SP	8.83	1058	4.61	552	4.61	552	52.2	0.0	0.0	0.0	0.0	1.87
6001SP	11.26	1349	2.46	295	1.91	229	30.0	0.0	12.5	0.0	21.4	2.35
6007SP	11.52	1381	3.85	461	3.01	361	38.6	0.3	12.4	0.4	21.8	0.89
6010SP	11.94	1431	3.70	443	3.70	443	31.0	0.3	0.0	0.4	0.0	1.66
6013SP	11.18	1340	4.19	502	4.19	502	37.5	0.0	0.0	0.0	0.0	1.63
6125SP	8.86	1062	3.55	425	3.55	425	40.1	0.0	0.0	0.0	0.0	0.41
6177SP	8.08	968	4.29	514	4.29	514	53.1	0.0	0.0	0.0	0.0	0.00
6178SP	8.31	996	3.52	422	3.52	422	42.3	0.0	0.0	0.0	0.0	1.67
6201SP	8.33	998	2.89	346	2.87	344	35.0	0.5	0.0	0.5	0.0	0.00
6207SP	8.46	1014	1.82	218	1.82	218	21.6	0.0	0.0	0.0	0.0	1.83
6210SP	8.93	1070	1.65	198	1.65	198	18.5	0.0	0.0	0.0	0.0	1.64
6213SP	7.78	932	5.20	623	5.19	622	66.9	0.0	0.2	0.0	0.2	0.24



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
6215SP	8.71	1044	2.26	271	2.26	271	26.0	0.0	0.0	0.0	0.0	0.00
6225SP	9.20	1103	1.27	152	1.27	152	13.8	0.0	0.0	0.0	0.0	0.00
6277SP	8.94	1071	2.33	279	2.33	279	26.1	0.0	0.0	0.0	0.0	0.00
6278SP	8.99	1077	2.11	253	2.11	253	23.5	0.0	0.0	0.0	0.0	0.00
6300SP	7.60	911	6.32	757	3.16	379	100.0	0.1	58.4	0.1	49.8	0.31
6301SP	8.20	983	6.35	761	3.18	381	100.0	0.1	61.2	0.1	50.0	0.39
6302SP	8.81	1056	6.41	768	3.21	385	100.0	0.0	63.6	0.0	50.0	0.71
6370SP	8.89	1065	0.00	0	0.00	0	100.0	0.2	99.8	0.2	99.8	0.00
6371SP	10.04	1203	0.00	0	0.00	0	100.0	0.1	99.9	0.1	99.8	0.00
6372SP	11.20	1342	0.00	0	0.00	0	100.0	0.0	100.0	0.0	100.0	0.00
6378SP-F	8.04	964	7.33	878	4.11	492	99.7	0.1	48.5	0.1	43.9	0.00
6378SP-M	8.58	1028	7.41	888	4.14	496	99.8	0.1	51.5	0.1	44.0	0.00
6378SP-S	8.58	1028	7.43	890	4.15	497	100.0	0.1	51.6	0.1	44.1	0.00
6379SP	6.91	828	6.91	828	6.91	828	100.0	0.0	0.0	0.0	0.0	1.31
6396SP	7.04	844	7.04	843	7.04	843	100.0	0.0	0.0	0.0	0.0	0.77
6405SP	8.37	1003	5.08	609	0.41	49	96.4	91.5	0.0	92.0	0.0	0.00
6415SP	8.15	977	8.01	960	8.01	960	98.3	0.1	0.0	0.1	0.0	0.00
6416SP	8.14	975	8.08	968	8.08	968	99.2	0.1	0.0	0.1	0.0	0.00
6422SP	11.98	1436	3.74	448	3.74	448	31.2	0.0	0.0	0.0	0.0	1.69
6425SP	12.05	1444	3.67	440	3.67	440	30.4	0.0	0.0	0.0	0.0	1.65
6428SP	6.57	787	6.54	783	6.48	776	99.9	1.4	0.0	1.1	0.0	0.00
6448SP	8.14	975	8.14	975	8.14	975	100.0	0.1	0.0	0.1	0.0	0.00
6816SP	8.14	975	5.18	621	5.18	621	63.6	0.0	0.0	0.0	0.0	4.82
74102SP	7.39	886	6.75	809	6.75	809	91.4	0.0	0.0	0.0	0.0	1.16



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
74103SP	7.49	898	6.97	835	6.97	835	93.1	0.1	0.0	0.1	0.0	1.47
74200SP	8.83	1058	5.73	686	5.73	686	64.9	0.1	0.0	0.1	0.0	0.64
74205SP	10.98	1316	5.20	623	5.19	622	47.4	0.1	0.0	0.1	0.0	0.45
74350SP	10.29	1233	2.68	321	1.26	151	58.6	0.3	46.3	0.4	52.9	0.24
74351SP	9.18	1100	6.15	737	0.69	83	98.2	0.4	90.3	0.5	88.4	0.00
74734SP	7.28	872	5.95	713	5.94	712	81.7	0.4	0.0	0.4	0.0	0.11
74735SP	6.82	817	6.62	793	6.47	775	97.7	2.8	0.0	2.3	0.0	0.73
74737SP	8.36	1002	0.00	0	0.00	0	98.8	98.8	0.0	99.1	0.0	0.00
74760SP	8.42	1009	5.78	692	5.77	691	68.8	0.4	0.0	0.4	0.0	0.04
74766SP	7.04	844	6.86	822	6.72	805	98.0	2.5	0.0	2.1	0.0	1.26
74770SP	8.28	992	5.39	646	5.38	645	65.1	0.4	0.0	0.4	0.0	1.79
74777SP	7.55	905	6.21	744	6.21	744	82.3	0.0	0.0	0.0	0.0	2.32
74780SP	9.50	1138	5.33	639	5.31	636	56.2	0.3	0.0	0.4	0.0	0.42
74781SP	7.03	842	6.84	819	6.68	800	97.8	2.7	0.0	2.3	0.0	0.00
74793SP	7.41	888	7.19	861	7.19	861	97.0	0.0	0.0	0.0	0.0	2.38
BRP7502	10.40	1246	7.68	920	2.03	243	98.8	0.0	79.2	0.0	73.5	0.00
LVG951	9.69	1161	0.58	69	0.34	41	46.4	0.0	42.8	0.1	41.8	0.00
LVG954	9.75	1168	0.69	83	0.40	48	46.6	0.0	42.5	0.1	41.4	0.00
LVS951	10.90	1306	0.76	91	0.44	53	45.2	0.0	41.2	0.0	42.7	0.00
LVS954	10.92	1309	0.85	102	0.49	59	45.1	0.0	40.6	0.0	42.2	0.00
MAP-LVA117	11.20	1342	0.00	0	0.00	0	99.9	0.0	99.9	0.0	99.9	0.00
MAP-LVC208	9.31	1116	0.58	69	0.35	42	46.1	0.0	42.4	0.0	39.9	0.00
MAP-LVC228	10.89	1305	0.57	68	0.36	43	41.1	0.0	37.8	0.0	36.8	0.00
MAP-LVC238	11.25	1348	0.60	72	0.32	38	48.7	0.0	45.9	0.0	46.1	0.00



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
MAP-LVG202	11.54	1383	0.56	67	0.37	44	32.8	0.0	29.5	0.0	33.7	0.00
MAP-LVG911	9.44	1131	0.56	67	0.36	43	43.3	0.0	39.5	0.0	36.8	0.00
MAP-LVG912	9.60	1150	0.56	67	0.36	43	42.5	0.0	38.7	0.0	36.3	0.00
MAP-LVG913	9.46	1134	0.57	68	0.36	43	42.7	0.0	38.9	0.0	36.3	0.00
MAP-LVG914	9.65	1156	0.56	67	0.36	43	42.0	0.0	38.3	0.0	36.2	0.00
MAP-LVG915	10.44	1251	0.56	67	0.34	41	40.9	0.0	37.6	0.0	38.8	0.00
MAP-LVG917	10.47	1255	0.56	67	0.34	41	42.3	0.0	39.1	0.0	39.6	0.00
MAP-LVG920	9.74	1167	0.57	68	0.35	42	45.5	0.0	42.0	0.0	39.5	0.00
MAP-LVG921	9.68	1160	0.56	67	0.35	42	42.8	0.0	39.1	0.0	37.2	0.00
MAP-LVG922	10.18	1220	0.56	67	0.36	43	39.9	0.0	36.3	0.0	36.4	0.00
MAP-LVG923	9.46	1134	0.57	68	0.36	43	42.8	0.0	39.0	0.0	37.0	0.00
MAP-LVG925	9.60	1150	0.57	68	0.36	43	42.5	0.0	38.6	0.0	36.4	0.00
MAP-LVG929	9.51	1140	0.56	67	0.35	42	43.7	0.0	40.0	0.0	37.4	0.00
MAP-LVG930	9.67	1159	0.57	68	0.36	43	42.0	0.0	38.2	0.0	36.2	0.00
MAP-LVG931	10.44	1251	0.78	93	0.48	58	44.6	0.0	40.0	0.0	38.2	0.00
MAP-LVG932	10.32	1237	0.58	69	0.34	41	45.1	0.0	41.8	0.0	41.9	0.00
MAP-LVG940	9.64	1155	0.54	65	0.35	42	40.6	0.0	37.0	0.0	35.0	0.00
MAP-LVG942	9.65	1156	0.56	67	0.36	43	40.9	0.0	37.1	0.0	35.9	0.00
MAP-LVG947	9.75	1168	0.58	69	0.35	42	45.5	0.0	41.8	0.0	39.4	0.00
MAP-LVG953	9.91	1188	0.75	90	0.44	53	46.2	0.0	41.8	0.1	41.4	0.00
MAP-LVRB51	11.20	1342	0.00	0	0.00	0	100.0	0.0	100.0	0.0	100.0	0.00
MAP-LVRS01	11.16	1337	0.00	0	0.00	0	98.8	0.0	98.8	0.0	98.4	0.00
MAP-LVRS02	10.40	1246	7.68	920	2.03	243	98.8	0.0	79.2	0.0	73.5	0.00
MAP-LVRS03	7.12	853	6.95	833	6.95	833	97.7	0.0	0.0	0.0	0.0	0.73



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltrv	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
MAP-LVRU01	11.20	1342	0.00	0	0.00	0	100.0	0.0	100.0	0.0	100.0	0.00
MAP-LVS202	11.95	1432	0.54	65	0.32	38	39.7	0.0	37.0	0.0	42.1	0.00
MAP-LVS911	10.34	1239	0.54	65	0.29	35	48.9	0.0	46.0	0.0	45.2	0.00
MAP-LVS912	10.64	1275	0.52	62	0.28	34	49.6	0.0	47.0	0.0	46.9	0.00
MAP-LVS913	10.52	1261	0.53	63	0.28	34	49.2	0.0	46.5	0.0	46.2	0.00
MAP-LVS914	10.33	1238	0.55	66	0.31	37	46.1	0.0	43.0	0.0	42.3	0.00
MAP-LVS915	11.07	1327	0.54	65	0.30	36	44.7	0.0	42.0	0.0	44.5	0.00
MAP-LVS917	11.02	1321	0.55	66	0.32	38	42.3	0.0	39.3	0.0	41.3	0.00
MAP-LVS920	10.56	1266	0.54	65	0.29	35	50.3	0.0	47.6	0.0	47.2	0.00
MAP-LVS921	10.34	1239	0.55	66	0.31	37	47.8	0.0	44.7	0.0	44.0	0.00
MAP-LVS922	11.06	1325	0.53	63	0.32	38	40.1	0.0	37.2	0.0	39.4	0.00
MAP-LVS923	10.16	1218	0.56	67	0.31	37	48.2	0.0	45.1	0.0	44.2	0.00
MAP-LVS925	10.53	1262	0.54	65	0.30	36	47.6	0.0	44.7	0.0	44.6	0.00
MAP-LVS929	10.54	1263	0.52	62	0.28	34	49.0	0.0	46.3	0.0	46.1	0.00
MAP-LVS930	10.69	1281	0.52	62	0.29	35	46.5	0.0	43.7	0.0	44.2	0.00
MAP-LVS931	11.11	1331	0.73	87	0.39	47	49.2	0.0	45.6	0.0	46.0	0.00
MAP-LVS932	10.99	1317	0.56	67	0.29	35	49.3	0.0	46.7	0.0	48.5	0.00
MAP-LVS940	10.55	1264	0.52	62	0.27	32	49.9	0.0	47.3	0.0	46.8	0.00
MAP-LVS942	10.56	1266	0.54	65	0.28	34	50.0	0.0	47.4	0.0	47.5	0.00
MAP-LVS947	10.40	1246	0.57	68	0.30	36	51.2	0.0	48.3	0.0	47.2	0.00
MAP-LVS953	10.97	1315	0.92	110	0.53	63	45.2	0.0	40.3	0.0	42.0	0.00
MAP-LVU100	13.23	1585	0.11	13	0.07	8	26.0	0.0	25.4	0.1	36.6	0.00
MAP-LVU200	11.90	1426	0.56	67	0.39	47	32.5	0.0	29.3	0.0	31.1	0.00
MAP-LVX101	8.54	1023	1.13	135	0.90	108	37.4	0.0	26.9	0.0	20.5	0.90



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
MAP-LVX270	8.95	1073	0.00	0	0.00	0	25.0	0.1	24.9	0.1	31.0	0.00
N202SP	10.52	1261	4.13	495	4.13	495	39.3	0.0	0.0	0.0	0.0	1.76
N911SP	8.33	998	4.67	559	4.67	559	56.1	0.0	0.0	0.0	0.0	1.91
N912SP	8.48	1016	4.44	532	4.44	532	52.3	0.0	0.0	0.0	0.0	1.85
N913SP	8.34	999	4.69	562	4.69	562	56.2	0.0	0.0	0.0	0.0	1.89
N914SP	8.50	1019	4.46	534	4.46	534	52.5	0.0	0.0	0.0	0.0	1.87
N915SP	9.04	1083	4.53	543	4.53	543	50.1	0.1	0.0	0.1	0.0	1.90
N917SP	9.09	1089	4.40	527	4.40	527	48.5	0.0	0.0	0.0	0.0	0.00
N920SP	8.48	1016	4.49	538	4.49	538	53.0	0.0	0.0	0.0	0.0	1.86
N921SP	8.44	1011	4.66	558	4.66	558	55.2	0.0	0.0	0.0	0.0	1.90
N922SP	8.95	1073	4.47	536	4.47	536	50.0	0.0	0.0	0.0	0.0	0.00
N923SP	8.36	1002	4.63	555	4.63	555	55.3	0.0	0.0	0.0	0.0	1.91
N925SP	8.43	1010	4.66	558	4.66	558	55.3	0.0	0.0	0.0	0.0	1.85
N929SP	8.38	1004	4.61	552	4.61	552	55.0	0.0	0.0	0.0	0.0	1.92
N930SP	8.53	1022	4.44	532	4.44	532	52.1	0.0	0.0	0.0	0.0	1.85
N931SP	9.14	1095	4.11	492	4.11	492	45.0	0.0	0.0	0.0	0.0	1.77
N932SP	9.17	1099	4.15	497	4.15	497	45.3	0.0	0.0	0.0	0.0	1.75
N940SP	8.67	1039	4.20	503	4.20	503	48.4	0.1	0.0	0.1	0.0	1.77
N942SP	8.64	1035	4.25	509	4.25	509	49.1	0.1	0.0	0.1	0.0	1.81
N943SP	9.77	1171	4.44	532	4.44	532	45.4	0.0	0.0	0.0	0.0	1.84
N946SP	8.48	1016	4.51	540	4.51	540	53.2	0.0	0.0	0.0	0.0	1.85
N947SP	8.50	1019	4.31	516	4.31	516	50.7	0.0	0.0	0.0	0.0	1.85
N951SP	8.29	993	4.78	573	4.78	573	57.7	0.0	0.0	0.0	0.0	1.94
N952SP	8.43	1010	4.51	540	4.51	540	53.5	0.0	0.0	0.0	0.0	1.86



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
N953SP	8.46	1014	4.79	574	4.79	574	56.6	0.0	0.0	0.0	0.0	1.85
N954SP	8.40	1007	4.84	580	4.84	580	57.6	0.0	0.0	0.0	0.0	1.85
SOA202SP	10.40	1246	4.22	506	4.22	506	40.6	0.0	0.0	0.0	0.0	1.80
SOA365SP	8.33	998	4.74	568	4.74	568	57.0	0.3	0.0	0.3	0.0	1.92
SOA4158SP	8.39	1005	4.56	546	4.56	546	54.4	0.3	0.0	0.3	0.0	1.92
SOA911SP	8.18	980	4.76	570	4.76	570	58.2	0.0	0.0	0.0	0.0	1.94
SOA912SP	8.35	1001	4.53	543	4.53	543	54.2	0.0	0.0	0.0	0.0	1.88
SOA913SP	8.20	983	4.77	571	4.77	571	58.2	0.0	0.0	0.0	0.0	1.93
SOA914SP	8.38	1004	4.55	545	4.55	545	54.3	0.0	0.0	0.0	0.0	1.88
SOA915SP	8.93	1070	4.69	562	4.69	562	52.5	0.0	0.0	0.0	0.0	1.92
SOA917SP	8.99	1077	4.44	532	4.44	532	49.5	0.0	0.0	0.0	0.0	0.00
SOA920SP	8.37	1003	4.56	546	4.56	546	54.5	0.0	0.0	0.0	0.0	1.89
SOA921SP	8.34	999	4.68	561	4.68	561	56.1	0.0	0.0	0.0	0.0	1.94
SOA922SP	8.81	1056	4.63	555	4.63	555	52.6	0.0	0.0	0.0	0.0	0.00
SOA923SP	8.25	989	4.70	563	4.70	563	56.9	0.0	0.0	0.0	0.0	1.94
SOA925SP	8.31	996	4.68	561	4.68	561	56.3	0.0	0.0	0.0	0.0	1.90
SOA929SP	8.23	986	4.74	568	4.74	568	57.6	0.0	0.0	0.0	0.0	1.95
SOA930SP	8.41	1008	4.51	540	4.51	540	53.7	0.0	0.0	0.0	0.0	1.88
SOA931SP	9.08	1088	4.11	492	4.11	492	45.3	0.0	0.0	0.0	0.0	1.78
SOA932SP	8.98	1076	4.23	507	4.23	507	47.1	0.0	0.0	0.0	0.0	1.80
SOA940SP	8.44	1011	4.32	518	4.32	518	51.2	0.0	0.0	0.0	0.0	1.82
SOA942SP	8.48	1016	4.38	525	4.38	525	51.7	0.0	0.0	0.0	0.0	1.82
SOA943SP	9.59	1149	4.57	547	4.57	547	47.6	0.0	0.0	0.0	0.0	1.89
SOA946SP	8.37	1003	4.58	549	4.58	549	54.8	0.0	0.0	0.0	0.0	1.88



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
SOA947SP	8.38	1004	4.42	530	4.42	530	52.7	0.0	0.0	0.0	0.0	1.86
SOA950SP	8.28	992	6.52	781	6.52	781	78.7	0.0	0.0	0.0	0.0	0.00
SOA951SP	8.29	993	4.78	573	4.78	573	57.7	0.0	0.0	0.0	0.0	1.94
SOA952SP	8.43	1010	4.51	540	4.51	540	53.5	0.0	0.0	0.0	0.0	1.86
SOA953SP	8.46	1014	4.79	574	4.79	574	56.6	0.0	0.0	0.0	0.0	1.85
SOA954SP	8.40	1007	4.84	580	4.84	580	57.6	0.0	0.0	0.0	0.0	1.85
SOA955SP	8.55	1025	4.75	569	4.75	569	55.5	0.0	0.0	0.0	0.0	1.78
SV202SP	11.79	1413	3.10	371	2.39	286	42.1	0.0	21.8	0.0	23.0	1.08
SV21493SP	9.94	1191	2.15	258	1.53	183	47.9	0.0	32.5	0.0	28.8	0.87
SV911SP	9.71	1164	3.13	375	1.93	231	64.2	0.0	44.3	0.0	38.4	1.10
SV912SP	9.76	1170	2.95	353	1.94	232	59.2	0.0	39.3	0.0	34.3	1.11
SV913SP	9.69	1161	3.08	369	1.97	236	62.0	0.0	41.6	0.0	36.0	1.14
SV914SP	9.68	1160	3.12	374	2.16	259	58.1	0.0	35.8	0.0	31.0	1.10
SV915SP	10.38	1244	3.08	369	2.00	240	57.2	0.0	37.9	0.0	35.1	1.14
SV917SP	10.24	1227	3.15	377	2.19	262	54.5	0.0	33.1	0.0	30.2	1.23
SV920SP	9.60	1150	3.13	375	2.18	261	58.0	0.0	35.2	0.0	30.2	1.17
SV921SP	9.84	1179	3.09	370	1.94	232	62.0	0.0	42.3	0.0	37.1	1.11
SV922SP	10.34	1239	3.12	374	1.96	235	59.2	0.1	40.2	0.1	37.1	1.05
SV923SP	9.64	1155	3.13	375	2.09	250	60.5	0.0	38.8	0.0	33.4	1.22
SV925SP	9.80	1174	2.99	358	1.93	231	60.2	0.0	40.4	0.0	35.4	1.11
SV929SP	9.76	1170	3.12	374	1.92	230	64.0	0.0	44.4	0.0	38.7	1.10
SV930SP	9.64	1155	3.13	375	2.19	262	57.6	0.0	34.9	0.0	30.1	1.14
SV931SP	10.34	1239	2.68	321	1.94	232	48.8	0.0	30.1	0.0	27.8	1.11
SV932SP	10.11	1212	3.03	363	2.42	290	46.1	0.0	22.1	0.0	19.9	1.10



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
SV940SP	9.38	1124	3.11	373	2.45	294	51.6	0.0	25.5	0.0	21.4	1.16
SV942SP	9.53	1142	3.10	371	2.31	277	54.0	0.0	29.7	0.0	25.3	1.15
SV943SP	11.06	1325	3.09	370	2.19	262	49.2	0.0	29.4	0.0	29.0	1.18
SV946SP	9.66	1158	3.10	371	2.18	261	56.9	0.0	34.3	0.0	29.6	1.10
SV947SP	9.56	1146	3.09	370	2.22	266	56.2	0.0	32.9	0.0	28.1	1.10
SV951SP	9.49	1137	3.12	374	2.30	276	55.1	0.0	30.8	0.0	26.1	0.93
SV952SP	9.48	1136	3.13	375	2.34	280	54.6	0.0	30.0	0.0	25.4	0.92
SV953SP	9.76	1170	3.02	362	2.07	248	57.4	0.0	36.3	0.0	31.6	0.88
SV954SP	9.77	1171	3.11	373	2.11	253	58.5	0.0	36.9	0.0	32.2	0.74
SVOC1304SP	12.83	1538	2.73	327	2.30	276	31.6	0.1	13.7	0.2	15.7	1.21
SVOC1520SP	9.64	1155	3.11	373	2.18	261	57.4	0.0	34.8	0.0	30.0	0.94
VOC202SP	9.75	1168	3.12	374	3.12	374	32.1	0.0	0.0	0.0	0.0	1.60
VOC911SP	8.21	984	3.15	377	3.15	377	38.4	0.0	0.0	0.0	0.0	1.35
VOC912SP	8.44	1011	2.90	347	2.90	347	34.3	0.0	0.0	0.0	0.0	1.06
VOC913SP	8.27	991	3.06	367	3.06	367	37.0	0.0	0.0	0.0	0.0	1.06
VOC914SP	8.45	1013	2.81	337	2.81	337	33.3	0.0	0.0	0.0	0.0	0.85
VOC915SP	9.27	1111	2.96	355	2.96	355	31.9	0.0	0.0	0.0	0.0	1.14
VOC917SP	9.17	1099	3.00	359	3.00	359	32.7	0.0	0.0	0.0	0.0	1.03
VOC920SP	8.45	1013	2.94	352	2.94	352	34.8	0.0	0.0	0.0	0.0	1.02
VOC921SP	8.38	1004	3.12	374	3.12	374	37.3	0.0	0.0	0.0	0.0	1.31
VOC922SP	9.17	1099	2.86	343	2.86	343	31.2	0.0	0.0	0.0	0.0	1.04
VOC923SP	8.30	995	3.07	368	3.07	368	36.9	0.0	0.0	0.0	0.0	1.23
VOC925SP	8.40	1007	2.97	356	2.97	356	35.3	0.0	0.0	0.0	0.0	1.12
VOC929SP	8.20	983	3.18	381	3.18	381	38.8	0.0	0.0	0.0	0.0	1.32



All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The “VOC Regulatory—Less Water Less Exempt” represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The “VOC Actual” entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The “Pounds of Organic VoHAP per Gallon of Product” represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Matthews Paint Package VOC												
Product Code	Density lbs/gal	Density gm/ltr	VOC Regulatory: Less Water Less Exempt lbs/gal	VOC Regulatory: Less Water Less Exempt gm/ltr	VOC Actual lbs/gal	VOC Actual gm/ltr	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	lbs of Organic HAPS per Gallon of Product
VOC930SP	8.32	997	3.19	382	3.19	382	38.3	0.0	0.0	0.0	0.0	1.73
VOC931SP	9.21	1104	2.98	357	2.98	357	32.4	0.0	0.0	0.0	0.0	1.31
VOC932SP	9.18	1100	2.86	343	2.86	343	31.1	0.0	0.0	0.0	0.0	1.03
VOC940SP	8.34	999	3.22	386	3.22	386	38.6	0.0	0.0	0.0	0.0	1.74
VOC942SP	8.38	1004	3.22	386	3.22	386	38.5	0.0	0.0	0.0	0.0	1.73
VOC943SP	9.90	1186	2.67	320	2.67	320	27.0	0.0	0.0	0.0	0.0	0.75
VOC946SP	8.38	1004	3.20	383	3.20	383	38.2	0.0	0.0	0.0	0.0	1.73
VOC947SP	8.34	999	3.17	380	3.17	380	38.1	0.0	0.0	0.0	0.0	1.74
VOC951SP	8.41	1008	3.05	365	3.05	365	36.3	0.0	0.0	0.0	0.0	0.47
VOC952SP	8.47	1015	3.12	374	3.12	374	36.9	0.0	0.0	0.0	0.0	0.58
VOC953SP	8.47	1015	3.32	398	3.32	398	39.2	0.0	0.0	0.0	0.0	0.58
VOC954SP	8.43	1010	3.44	412	3.44	412	40.8	0.0	0.0	0.0	0.0	0.58