

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
7201SP		7.11	852	6.05	725	6.05	725	85.1	0.0	0.0	0.0	0.0	1.42
7202SP		8.08	968	4.90	587	4.90	587	60.7	0.0	0.0	0.0	0.0	4.71
7203SP		8.20	983	4.48	537	4.48	537	54.7	0.0	0.0	0.0	0.0	4.12
7204SP		9.15	1097	4.64	556	4.63	555	50.7	0.1	0.0	0.1	0.0	4.48
7206SP		8.73	1046	4.59	550	4.59	550	52.6	0.0	0.0	0.0	0.0	4.38
72099SP		8.12	973	3.68	441	3.68	441	45.3	0.0	0.0	0.0	0.0	3.59
7210SP		8.34	999	4.57	547	4.57	547	54.8	0.0	0.0	0.0	0.0	4.14
7212SP		8.10	971	4.88	585	4.88	585	60.3	0.0	0.0	0.0	0.0	4.65
7213SP		8.28	992	4.57	547	4.57	547	55.2	0.0	0.0	0.0	0.0	4.27
7216SP		8.21	984	4.57	547	4.57	547	55.6	0.0	0.0	0.0	0.0	4.30
7221SP		8.21	984	4.57	547	4.57	547	55.6	0.0	0.0	0.0	0.0	4.25
7225SP		8.15	977	4.73	567	4.73	567	58.1	0.0	0.0	0.0	0.0	4.53
7226SP		8.16	978	4.80	575	4.80	575	58.9	0.0	0.0	0.0	0.0	4.48
7234SP		9.62	1153	4.70	563	4.69	562	48.9	0.1	0.0	0.2	0.0	4.50
7235SP		8.22	985	4.54	544	4.54	544	55.2	0.0	0.0	0.0	0.0	4.21
7239SP		7.85	941	6.63	794	6.63	794	84.5	0.0	0.0	0.0	0.0	6.61
7242SP		8.23	986	4.57	547	4.57	547	55.5	0.0	0.0	0.0	0.0	4.23
7251SP		9.12	1093	4.71	564	4.71	564	51.6	0.0	0.0	0.0	0.0	4.48
7254SP		9.31	1116	4.64	556	4.64	556	49.8	0.3	0.0	0.3	0.0	4.24
7258SP		8.26	990	4.56	546	4.56	546	55.2	0.0	0.0	0.0	0.0	4.27
7259SP		8.28	992	4.53	543	4.53	543	54.7	0.0	0.0	0.0	0.0	4.26
7261SP		8.84	1059	4.56	546	4.56	546	51.6	0.0	0.0	0.0	0.0	4.35
7262SP		8.32	997	4.56	546	4.56	546	54.8	0.0	0.0	0.0	0.0	4.23
7263SP		8.24	987	4.55	545	4.55	545	55.2	0.0	0.0	0.0	0.0	4.27
7264SP		8.26	990	4.55	545	4.55	545	55.2	0.0	0.0	0.0	0.0	4.19
7265SP		8.27	991	4.54	544	4.54	544	54.9	0.0	0.0	0.0	0.0	4.21
7268SP		8.28	992	4.52	542	4.52	542	54.6	0.0	0.0	0.0	0.0	4.28
7270SP		8.38	1004	4.64	556	4.64	556	55.4	0.0	0.0	0.0	0.0	4.31
7273SP		8.26	990	4.56	546	4.56	546	55.2	0.0	0.0	0.0	0.0	4.23
7274SP		8.32	997	4.59	550	4.59	550	55.1	0.0	0.0	0.0	0.0	4.32
7275SP		8.44	1011	4.56	546	4.56	546	54.0	0.0	0.0	0.0	0.0	4.28
7279SP		8.10	971	4.88	585	4.88	585	60.2	0.0	0.0	0.0	0.0	4.62

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
7280SP		8.79	1053	4.61	552	4.61	552	52.5	0.0	0.0	0.0	0.0	4.18
7281SP		8.11	972	4.81	576	4.81	576	59.3	0.0	0.0	0.0	0.0	4.60
7282SP		8.97	1075	4.56	546	4.56	546	50.8	0.0	0.0	0.0	0.0	4.23
7283SP		8.27	991	4.55	545	4.55	545	55.0	0.0	0.0	0.0	0.0	4.22
7286SP		8.24	987	4.42	530	4.42	530	53.7	0.0	0.0	0.0	0.0	4.11
7287SP		9.41	1128	4.57	547	4.56	546	48.6	0.1	0.0	0.2	0.0	4.18
7288SP		8.30	995	4.56	546	4.56	546	55.0	0.0	0.0	0.0	0.0	4.24
7289SP		8.25	989	4.58	549	4.58	549	55.6	0.0	0.0	0.0	0.0	4.28
7295SP		8.08	968	4.57	547	4.57	547	56.6	0.0	0.0	0.0	0.0	4.01
73099SP		7.89	946	4.35	521	4.35	521	55.2	0.0	0.0	0.0	0.0	2.93
74001SP		7.37	883	5.12	613	5.12	613	69.4	0.0	0.0	0.0	0.0	0.28
74003SP		7.85	941	4.67	559	4.67	559	59.5	0.0	0.0	0.0	0.0	2.47
74199SP		7.80	935	5.69	682	5.69	682	73.0	0.0	0.0	0.0	0.0	1.66
74500SP		7.76	930	4.95	593	3.64	436	69.4	0.1	22.3	0.1	26.3	2.67
AC543SP		10.04	1203	4.41	528	4.04	484	45.8	0.2	5.4	0.2	8.2	2.83
AE1003CSP		7.04	844	6.86	822	6.72	805	98.0	2.5	0.0	2.1	0.0	1.26
AE1003SP		8.41	1008	5.78	692	5.77	691	68.8	0.4	0.0	0.4	0.0	0.04
AE880CSP		6.82	817	6.62	793	6.47	775	97.7	2.8	0.0	2.3	0.0	0.73
AE880SP		7.29	874	5.95	713	5.94	712	81.7	0.5	0.0	0.4	0.0	0.11
AF340SP		10.87	1303	4.20	503	4.20	503	38.6	0.0	0.0	0.0	0.0	3.82
AF347SP		10.79	1293	4.34	520	4.34	520	40.2	0.0	0.0	0.0	0.0	3.99
AF5B1		7.32	877	6.37	763	6.37	763	87.1	0.0	0.0	0.0	0.0	5.70
AF5B10		11.59	1389	4.16	498	4.16	498	35.9	0.4	0.0	0.5	0.0	3.59
AF5B11		8.42	1009	4.50	539	4.50	539	53.4	0.0	0.0	0.0	0.0	3.11
AF5B12		7.96	954	4.48	537	4.48	537	56.3	0.0	0.0	0.0	0.0	4.45
AF5B13		7.91	948	4.41	528	4.41	528	55.8	0.0	0.0	0.0	0.0	3.71
AF5B14		7.74	928	4.58	549	4.58	549	59.2	0.0	0.0	0.0	0.0	2.73
AF5B15		11.92	1428	4.15	497	4.15	497	34.8	0.0	0.0	0.0	0.0	2.93
AF5B16		8.89	1065	4.20	503	4.20	503	47.3	0.0	0.0	0.0	0.0	3.35
AF5B17		7.92	949	4.43	531	4.43	531	56.0	0.0	0.0	0.0	0.0	3.35
AF5B18		7.92	949	4.53	543	4.53	543	57.1	0.0	0.0	0.0	0.0	3.63
AF5B19		7.91	948	4.28	513	4.28	513	54.2	0.0	0.0	0.0	0.0	3.30

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
AF5B2		8.10	971	4.18	501	4.18	501	51.7	0.0	0.0	0.0	0.0	2.20
AF5B20		7.98	956	4.46	534	4.46	534	56.0	0.0	0.0	0.0	0.0	4.01
AF5B21		8.26	990	4.23	507	4.23	507	51.3	0.0	0.0	0.0	0.0	2.79
AF5B22		8.29	993	4.17	500	4.17	500	50.3	0.0	0.0	0.0	0.0	2.84
AF5B23		8.33	998	4.29	514	4.29	514	51.5	0.0	0.0	0.0	0.0	2.70
AF5B24		7.90	947	4.46	534	4.46	534	56.4	0.0	0.0	0.0	0.0	3.30
AF5B25		7.99	958	4.38	525	4.38	525	54.8	0.0	0.0	0.0	0.0	3.69
AF5B26		14.51	1739	3.93	471	3.93	471	27.1	0.0	0.0	0.0	0.0	3.47
AF5B27		7.99	958	4.50	539	4.50	539	56.3	0.0	0.0	0.0	0.0	3.74
AF5B28		7.97	955	4.43	531	4.43	531	55.6	0.0	0.0	0.0	0.0	3.30
AF5B29		7.80	935	4.50	539	4.50	539	57.7	0.0	0.0	0.0	0.0	3.17
AF5B3		7.99	958	4.48	537	4.48	537	56.1	0.0	0.0	0.0	0.0	3.81
AF5B30		7.84	940	4.46	534	4.46	534	56.9	0.0	0.0	0.0	0.0	2.97
AF5B31		8.17	979	4.27	512	4.27	512	52.2	0.0	0.0	0.0	0.0	2.80
AF5B32		21.59	2587	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B33		21.58	2586	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B34		19.73	2364	1.97	236	1.97	236	10.0	0.0	0.0	0.0	0.0	0.00
AF5B35		21.59	2587	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B36		21.58	2586	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B37		23.10	2768	2.31	277	2.31	277	10.0	0.0	0.0	0.0	0.0	0.00
AF5B38		21.58	2586	2.16	259	2.16	259	10.0	0.0	0.0	0.0	0.0	0.00
AF5B39		8.20	983	6.52	781	6.52	781	79.5	0.0	0.0	0.0	0.0	0.26
AF5B4		8.11	972	4.52	542	4.52	542	55.7	0.0	0.0	0.0	0.0	2.90
AF5B40		7.86	942	4.88	585	4.80	575	62.4	0.0	1.3	0.0	1.6	2.58
AF5B41		7.52	901	6.41	768	6.41	768	85.2	0.0	0.0	0.0	0.0	0.87
AF5B42		8.46	1014	4.29	514	4.29	514	50.7	0.0	0.0	0.0	0.0	3.93
AF5B43		8.75	1049	4.08	489	4.08	489	46.7	0.0	0.0	0.0	0.0	3.55
AF5B44		8.15	977	4.26	510	4.26	510	52.2	0.0	0.0	0.0	0.0	3.93
AF5B45		9.32	1117	1.75	210	1.23	147	48.5	0.0	35.2	0.0	29.3	0.00
AF5B46		29.15	3493	2.91	349	2.91	349	10.0	0.0	0.0	0.0	0.0	0.00
AF5B47		20.60	2469	2.06	247	2.06	247	10.0	0.0	0.0	0.0	0.0	0.00
AF5B5		8.19	981	4.22	506	4.22	506	51.5	0.0	0.0	0.0	0.0	3.29

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
AF5B6		8.03	962	4.50	539	4.50	539	56.1	0.0	0.0	0.0	0.0	3.95
AF5B7		8.23	986	4.42	530	4.42	530	53.8	0.0	0.0	0.0	0.0	3.85
AF5B8		7.96	954	4.45	533	4.45	533	55.9	0.0	0.0	0.0	0.0	4.42
AF5B80		8.03	962	4.79	574	4.79	574	59.7	0.0	0.0	0.0	0.0	3.75
AF5B81		7.97	955	4.45	533	4.45	533	55.8	0.0	0.0	0.0	0.0	3.45
AF5B82		8.22	985	4.26	510	4.26	510	51.8	0.0	0.0	0.0	0.0	4.15
AF5B83		8.30	995	4.45	533	4.45	533	53.6	0.0	0.0	0.0	0.0	2.33
AF5B84		7.84	940	4.89	586	4.43	531	64.5	0.0	8.0	0.0	9.5	4.01
AF5B85		7.89	946	4.93	591	4.46	534	64.4	0.0	7.8	0.0	9.3	4.24
AF5B86		9.10	1091	4.80	575	4.80	575	52.7	0.0	0.0	0.0	0.0	4.33
AF5B87		8.36	1002	4.20	503	4.20	503	50.2	0.0	0.0	0.0	0.0	3.07
AF5B89		7.62	913	5.71	684	5.71	684	75.0	0.0	0.0	0.0	0.0	2.50
AF5B9		13.67	1638	4.01	480	4.01	480	29.3	0.0	0.0	0.0	0.0	3.82
AF5B90		10.56	1266	4.59	550	4.59	550	43.5	0.0	0.0	0.0	0.0	2.85
AF5B91		7.94	952	4.60	551	4.60	551	57.9	0.0	0.0	0.0	0.0	3.56
AF5B92		8.26	990	4.15	497	4.14	496	50.3	0.1	0.0	0.1	0.0	2.87
AF5B93		8.22	985	4.22	506	4.22	506	51.3	0.0	0.0	0.0	0.0	2.83
AF5B94		8.27	991	4.18	501	4.18	501	50.5	0.0	0.0	0.0	0.0	2.86
AF5B95		7.49	898	6.39	766	6.39	766	85.4	0.1	0.0	0.0	0.0	0.95
AF5C70		8.03	962	4.22	506	3.95	473	56.1	0.0	6.9	0.0	6.4	2.98
AF5C80		7.62	913	4.48	537	3.57	428	64.4	0.0	17.5	0.0	20.2	2.58
AF5C90		8.62	1033	2.49	298	1.40	168	61.6	0.0	45.4	0.0	43.9	0.87
AF5D1		6.40	767	6.41	768	6.41	768	100.0	0.0	0.0	0.0	0.0	0.00
AF5D2		8.22	985	6.75	809	0.57	68	99.7	92.6	0.0	91.4	0.0	0.00
AF5D3		6.57	787	6.54	783	6.48	776	99.9	1.4	0.0	1.1	0.0	0.00
AF5H130		9.77	1171	0.00	0	0.00	0	18.1	0.0	18.1	0.0	15.8	0.00
AF5H150		8.12	973	4.61	552	4.61	552	56.8	0.0	0.0	0.0	0.0	1.32
AF5H30		8.01	960	5.12	613	5.12	613	63.9	0.0	0.0	0.0	0.0	1.65
AF5H40		10.03	1202	1.96	235	1.00	120	64.7	0.0	54.8	0.0	49.1	0.00
AF5H60F		8.19	981	4.44	532	4.44	532	54.3	0.0	0.0	0.0	0.0	0.67
AF5H60S		8.14	975	4.33	519	4.33	519	53.2	0.0	0.0	0.0	0.0	1.26
AF5H60T		8.26	990	4.42	530	4.42	530	53.5	0.0	0.0	0.0	0.0	0.00

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
AF5H75T		8.26	990	4.42	530	4.42	530	53.5	0.0	0.0	0.0	0.0	0.51
AF5H80F		8.93	1070	2.38	285	2.38	285	26.7	0.0	0.0	0.0	0.0	1.66
AF5H80M		8.90	1067	2.46	295	2.46	295	27.7	0.0	0.0	0.0	0.0	1.75
AF5H90F		10.15	1216	0.58	69	0.36	43	46.1	0.0	42.6	0.0	38.6	0.00
AF5H90M		10.10	1210	0.55	66	0.35	42	43.1	0.0	39.6	0.0	35.7	0.00
AF5H90T		8.26	990	4.41	528	4.41	528	53.4	0.0	0.0	0.0	0.0	0.68
AF5M1		7.83	938	4.15	497	4.15	497	53.0	0.0	0.0	0.0	0.0	0.78
AF5M2		7.23	866	7.15	857	7.15	857	99.0	0.0	0.0	0.0	0.0	7.13
AF5M3		7.36	882	7.22	865	7.22	865	98.1	0.0	0.0	0.0	0.0	0.00
AF5M4		8.14	975	8.14	975	8.14	975	100.0	0.1	0.0	0.1	0.0	0.00
AF5P10		7.24	868	6.97	835	6.97	835	96.2	0.0	0.0	0.0	0.0	6.41
AF5P20		7.20	863	6.40	767	6.23	746	89.6	4.6	0.0	4.0	0.0	0.81
AF5P20C		6.93	830	6.68	800	6.43	770	97.2	6.6	0.0	5.5	0.0	0.27
AF5P30		12.08	1448	3.99	478	3.80	455	34.1	0.0	2.6	0.0	4.7	2.50
AF5P40		13.72	1644	2.10	252	1.50	180	31.9	0.0	21.0	0.0	28.5	0.65
AF5R100		6.82	817	6.82	817	6.82	817	100.0	0.0	0.0	0.0	0.0	1.44
AF5R120		6.82	817	6.82	817	6.82	817	100.0	0.0	0.0	0.0	0.0	0.13
AF5R130		11.20	1342	0.00	0	0.00	0	100.0	0.0	100.0	0.0	100.0	0.00
AF5R60		6.49	778	6.47	775	5.37	643	100.0	0.1	17.1	0.1	16.8	2.36
AF5R75		6.82	817	6.82	817	6.82	817	100.0	0.0	0.0	0.0	0.0	1.69
AF5R90		6.81	816	6.81	816	6.81	816	100.0	0.0	0.0	0.0	0.0	1.17
AF5S50		10.19	1221	4.03	483	4.03	483	39.5	0.0	0.0	0.0	0.0	1.35
AF5S60		11.63	1394	4.59	550	4.59	550	39.5	0.0	0.0	0.1	0.0	1.99
AP410CSP		7.42	889	5.21	624	5.21	624	70.2	0.0	0.0	0.0	0.0	1.14
AP420CSP		7.78	932	5.24	628	5.23	627	67.3	0.1	0.2	0.1	0.2	0.24
AP440SP		11.55	1384	4.17	500	4.17	500	36.1	0.0	0.0	0.0	0.0	1.63
AP450SP		11.90	1426	4.30	515	4.30	515	36.1	0.0	0.0	0.0	0.0	1.62
AP460SP		11.17	1339	4.23	507	4.23	507	37.8	0.0	0.0	0.0	0.0	1.65
A5552SP		9.46	1134	4.60	551	4.60	551	48.6	0.0	0.0	0.0	0.0	1.31
A5555SP		11.62	1393	4.59	550	4.59	550	39.5	0.0	0.0	0.1	0.0	1.99
FE200SP		7.23	866	7.16	858	7.16	858	99.0	0.0	0.0	0.0	0.0	7.13
HGR560SP		6.82	817	6.82	817	6.82	817	100.0	0.0	0.0	0.0	0.0	2.77

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
HGR570SP		6.95	833	6.95	833	6.95	833	100.0	0.0	0.0	0.0	0.0	1.64
HGR580SP		7.04	844	7.04	843	7.04	843	100.0	0.0	0.0	0.0	0.0	1.05
HGR590SP		7.30	875	7.30	875	7.30	875	100.0	0.0	0.0	0.0	0.0	2.88
HGR599SP		7.71	924	7.71	924	7.71	924	100.0	0.0	0.0	0.0	0.0	3.72
PBS100SP		7.48	896	6.84	819	6.84	819	91.5	0.0	0.0	0.0	0.0	1.16
PBS200SP		7.39	886	6.75	809	6.75	809	91.4	0.0	0.0	0.0	0.0	1.16
PBS300SP		7.49	898	6.97	835	6.97	835	93.1	0.1	0.0	0.1	0.0	1.47
SC304SP		8.27	991	5.09	610	5.09	610	61.5	0.0	0.0	0.0	0.0	4.12
SC412SP		9.28	1112	4.50	539	4.50	539	48.5	0.3	0.0	0.3	0.0	3.92
SC420SP		8.13	974	4.65	557	4.65	557	57.2	0.0	0.0	0.0	0.0	4.23
SC421SP		8.18	980	4.54	544	4.54	544	55.6	0.0	0.0	0.0	0.0	3.98
SC422SP		8.18	980	4.66	558	4.66	558	57.0	0.0	0.0	0.0	0.0	4.11
SC423SP		8.07	967	4.79	574	4.79	574	59.3	0.0	0.0	0.0	0.0	4.40
SC424SP		8.28	992	4.60	551	4.60	551	55.6	0.0	0.0	0.0	0.0	3.95
SC426SP		8.15	977	4.55	545	4.55	545	55.8	0.0	0.0	0.0	0.0	4.00
SC427SP		8.19	981	4.59	550	4.59	550	56.0	0.0	0.0	0.0	0.0	3.99
SC428SP		8.23	986	4.70	563	4.70	563	57.1	0.0	0.0	0.0	0.0	4.16
SC429SP		8.13	974	4.54	544	4.54	544	55.8	0.0	0.0	0.0	0.0	4.05
SC430SP		8.17	979	4.54	544	4.54	544	55.6	0.0	0.0	0.0	0.0	4.05
SC431SP		8.24	987	4.59	550	4.59	550	55.7	0.0	0.0	0.0	0.0	3.85
SC432SP		8.18	980	4.55	545	4.55	545	55.6	0.0	0.0	0.0	0.0	4.11
SC433SP		8.21	984	4.54	544	4.54	544	55.3	0.0	0.0	0.0	0.0	4.02
SC434SP		8.20	983	4.54	544	4.54	544	55.4	0.0	0.0	0.0	0.0	3.99
SC435SP		8.24	987	4.55	545	4.55	545	55.2	0.0	0.0	0.0	0.0	4.06
SC436SP		8.20	983	4.53	543	4.53	543	55.3	0.0	0.0	0.0	0.0	3.97
SC437SP		8.19	981	4.55	545	4.55	545	55.6	0.0	0.0	0.0	0.0	4.07
SC438SP		8.20	983	4.61	552	4.61	552	56.2	0.0	0.0	0.0	0.0	4.08
SC439SP		8.38	1004	4.65	557	4.65	557	55.5	0.0	0.0	0.0	0.0	3.84
SC440SP		8.20	983	4.57	547	4.57	547	55.7	0.0	0.0	0.0	0.0	3.91
SC441SP		8.21	984	4.53	543	4.53	543	55.2	0.0	0.0	0.0	0.0	4.01
SC442SP		8.22	985	4.56	546	4.56	546	55.4	0.0	0.0	0.0	0.0	3.90
SC443SP		8.27	991	4.49	538	4.49	538	54.3	0.0	0.0	0.0	0.0	3.84

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
SC444SP		8.23	986	4.55	545	4.55	545	55.3	0.0	0.0	0.0	0.0	4.05
SC445SP		8.20	983	4.57	547	4.57	547	55.8	0.0	0.0	0.0	0.0	4.05
SC446SP		8.22	985	4.58	549	4.58	549	55.8	0.0	0.0	0.0	0.0	4.10
SC447SP		8.18	980	4.47	536	4.47	536	54.7	0.0	0.0	0.0	0.0	4.00
SC448SP		8.19	981	4.71	564	4.71	564	57.6	0.0	0.0	0.0	0.0	4.22
SC450SP		8.07	967	4.78	573	4.78	573	59.2	0.0	0.0	0.0	0.0	4.21
SC451SP		9.69	1161	4.56	546	4.56	546	47.1	0.4	0.0	0.4	0.0	3.89
SC452SP		9.20	1103	4.57	547	4.57	547	49.7	0.3	0.0	0.3	0.0	3.97
SC453SP		9.15	1097	4.57	547	4.57	547	49.9	0.3	0.0	0.3	0.0	4.03
SC454SP		9.20	1103	4.51	540	4.51	540	49.1	0.3	0.0	0.3	0.0	3.96
SC455SP		9.15	1097	4.40	527	4.40	527	48.1	0.0	0.0	0.0	0.0	3.02
SC456SP		9.05	1085	4.50	539	4.50	539	49.7	0.0	0.0	0.0	0.0	3.98
SC457SP		9.26	1110	4.68	561	4.67	559	50.6	0.1	0.0	0.2	0.0	4.29
SC458SP		9.74	1167	4.59	550	4.58	549	47.2	0.2	0.0	0.2	0.0	4.03
SC459SP		8.63	1034	4.62	553	4.62	553	53.5	0.0	0.0	0.0	0.0	4.22
SC460SP		8.42	1009	4.55	545	4.55	545	54.1	0.0	0.0	0.0	0.0	4.05
SC461SP		9.16	1098	4.55	545	4.55	545	49.7	0.0	0.0	0.0	0.0	4.00
SC462SP		8.38	1004	4.53	543	4.53	543	54.1	0.0	0.0	0.0	0.0	3.83
SC463SP		8.68	1040	4.77	571	4.77	571	54.9	0.0	0.0	0.0	0.0	4.38
SC464SP		8.68	1040	4.58	549	4.58	549	52.8	0.0	0.0	0.0	0.0	4.24
SC465SP		8.54	1023	4.65	557	4.65	557	54.4	0.0	0.0	0.0	0.0	4.26
ST600SP		6.36	762	6.36	762	6.36	762	100.0	0.0	0.0	0.0	0.0	0.09
UC100SP		7.75	929	5.77	691	5.77	691	74.4	0.0	0.0	0.0	0.0	3.44
UC200SP		8.03	962	4.22	506	3.95	473	56.1	0.0	6.9	0.0	6.4	2.98
UC400SP		7.99	958	4.22	506	4.01	480	55.4	0.0	5.1	0.0	4.8	2.90
UC500SP		7.62	913	4.48	537	3.57	428	64.4	0.0	17.5	0.0	20.2	2.58
UH310SP		8.26	990	4.42	530	4.42	530	53.5	0.0	0.0	0.0	0.0	0.00
UH320SP		8.26	990	4.42	530	4.42	530	53.5	0.0	0.0	0.0	0.0	0.51
UH325SP		8.85	1061	3.11	373	3.11	373	35.2	0.0	0.0	0.0	0.0	1.88
UH350SP		8.19	981	4.44	532	4.44	532	54.3	0.0	0.0	0.0	0.0	0.67
UH360SP		8.14	975	4.33	519	4.33	519	53.2	0.0	0.0	0.0	0.0	1.26
UH520SP		8.90	1067	2.46	295	2.46	295	27.7	0.0	0.0	0.0	0.0	1.75

Detailed American Finishes Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution).
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
UP4007SP		8.83	1058	4.13	495	4.13	495	46.8	0.1	0.0	0.1	0.0	2.75
UP4008SP		9.45	1132	4.01	480	4.00	479	42.4	0.1	0.0	0.1	0.0	2.63
UP4009SP		9.49	1137	4.03	483	4.03	483	42.5	0.1	0.0	0.1	0.0	2.65
UP4014SP		9.49	1137	4.00	479	4.00	479	42.2	0.1	0.0	0.1	0.0	2.65
UP4017SP		8.82	1057	4.13	495	4.13	495	46.8	0.1	0.0	0.1	0.0	2.75
UP4018SP		8.61	1032	4.11	492	4.10	491	47.7	0.1	0.0	0.1	0.0	2.90
UP4022SP		9.53	1142	4.03	483	4.03	483	42.4	0.1	0.0	0.1	0.0	2.65
UP4031SP		8.66	1038	4.88	585	4.88	585	56.3	0.0	0.0	0.0	0.0	2.13
UP4044SP		9.29	1113	4.74	568	4.74	568	51.0	0.0	0.0	0.0	0.0	1.87
UP4045SP		9.57	1147	4.20	503	4.20	503	43.9	0.1	0.0	0.1	0.0	2.83
UP4076SP		9.12	1093	4.43	531	4.43	531	48.6	0.0	0.0	0.0	0.0	2.05
UP4077SP		9.15	1097	4.56	546	4.56	546	49.9	0.0	0.0	0.0	0.0	2.00
UP4078SP		9.54	1143	4.01	480	4.01	480	42.1	0.1	0.0	0.1	0.0	2.66
UT70SP		6.82	817	6.82	817	6.82	817	100.0	0.0	0.0	0.0	0.0	1.31
UT80SP		6.93	830	6.93	830	6.93	830	100.0	0.0	0.0	0.0	0.0	1.17
UT80SP		6.93	830	6.93	830	6.93	830	100.0	0.0	0.0	0.0	0.0	1.17
UT90SP		6.94	832	6.94	831	6.94	831	100.0	0.1	0.0	0.0	0.0	1.87