

Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
1060		6.84	820	6.60	791	3.82	458	96.4	0.0	40.3	0.0	41.9	1.82
1070		7.06	846	6.89	825	5.30	635	96.5	0.0	21.4	0.0	22.9	1.12
1080		7.53	902	7.28	872	7.28	872	96.7	0.0	0.0	0.0	0.0	1.39
1171	Solvent (Applicator Cleaner)	6.57	787	6.29	754	0.20	24	100.0	0.0	0.0	0.0	0.0	0.00
1360	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
1370	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
1380	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.46	894	7.46	894	7.46	894	100.0	0.0	0.0	0.0	0.0	1.44
1390	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.54	904	7.54	903	7.54	903	100.0	0.0	0.0	0.0	0.0	1.08
1405	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	6.51	780	6.51	780	6.51	780	100.0	0.0	0.0	0.0	0.0	0.61
1407	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	6.63	795	6.65	797	4.79	574	100.0	0.0	27.6	0.0	27.9	1.27
1409		6.69	802	6.73	806	5.05	605	100.0	0.0	24.5	0.0	24.9	1.65
1411		6.78	813	6.85	821	5.14	616	100.0	0.0	24.1	0.0	24.9	1.96
1424		6.44	772	6.44	772	6.44	772	100.0	0.0	0.0	0.0	0.0	0.91
1434		6.46	774	6.45	773	6.45	773	100.0	0.0	0.0	0.0	0.0	1.06
1500		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
1501		7.09	850	6.66	798	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
1502		6.88	824	6.97	835	5.37	643	100.0	0.0	21.9	0.0	22.9	1.30
1505		6.87	823	6.92	829	5.89	706	100.0	0.0	14.3	0.0	14.9	5.26
1508		6.56	786	6.54	783	4.32	518	100.0	0.0	33.9	0.0	33.8	1.35
1515		6.97	835	6.99	837	6.64	795	100.0	0.0	4.7	0.0	5.0	6.64
1530		6.68	801	6.73	806	4.44	532	100.0	0.0	33.3	0.0	33.8	2.05
1542		6.52	781	6.50	779	4.48	537	100.0	0.0	31.1	0.0	30.8	1.42
1545		6.84	820	6.87	823	5.98	716	100.0	0.0	12.5	0.0	12.9	5.45
1556		6.46	774	6.38	764	3.96	474	100.0	0.0	38.5	0.0	37.8	1.19
1561		6.61	792	6.62	793	4.76	570	100.0	0.0	27.7	0.0	27.9	1.50
1600		6.88	824	6.96	834	5.43	651	100.0	0.0	20.9	0.0	21.9	1.30
1610		6.73	807	6.88	824	3.44	412	100.0	0.0	48.7	0.0	49.8	3.13
1705	Solvent (Substrate Cleaner)	6.38	765	6.38	764	6.38	764	100.0	0.0	0.0	0.0	0.0	0.41
1705A		5.84	700	5.84	700	5.84	700	100.0	0.0	0.0	0.0	0.0	0.26
4202	Solvent (Substrate Cleaner)	6.91	828	6.91	828	6.91	828	100.0	0.0	0.0	0.0	0.0	3.88
4210		6.88	824	6.99	837	5.11	612	100.0	0.0	25.7	0.0	26.9	5.10
4213		6.77	811	6.87	823	4.46	534	100.0	0.0	33.9	0.0	34.8	2.12
4218		7.22	865	7.22	865	7.22	865	100.0	0.0	0.0	0.0	0.0	7.19

Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
4220		6.29	754	6.29	754	6.29	754	100.0	0.0	0.0	0.0	0.0	0.06
4221		6.36	762	6.35	761	6.35	761	100.0	0.0	0.0	0.0	0.0	0.00
4223		6.55	785	6.55	785	6.55	785	100.0	0.0	0.0	0.0	0.0	0.00
4224		6.79	814	6.79	813	6.79	813	100.0	0.0	0.0	0.0	0.0	3.04
4225		7.21	864	7.21	864	7.21	864	100.0	0.0	0.0	0.0	0.0	7.20
4226		6.18	741	6.14	736	5.53	662	100.0	0.0	10.6	0.0	9.9	1.44
4227		6.50	779	6.50	779	6.50	779	100.0	0.0	0.0	0.0	0.0	0.00
4230		6.60	791	6.60	791	6.60	791	100.0	0.0	0.0	0.0	0.0	6.60
4240		6.76	810	6.76	810	6.76	810	100.0	0.0	0.0	0.0	0.0	0.37
4251		7.34	880	7.34	879	7.34	879	100.0	0.0	0.0	0.0	0.0	0.00
4252		7.91	948	7.91	948	7.91	948	100.0	0.0	0.0	0.0	0.0	0.00
4253		7.84	940	7.84	939	7.84	939	100.0	0.0	0.0	0.0	0.0	7.73
4260		7.05	845	7.13	854	6.06	726	100.0	0.0	0.0	0.0	0.0	5.65
4262		6.95	833	6.95	833	6.95	833	100.0	0.0	0.0	0.0	0.0	6.57
4266		6.69	802	6.70	803	6.03	722	100.0	0.0	0.0	0.0	0.0	0.33
4268		6.90	827	6.96	834	5.92	709	100.0	0.0	14.2	0.0	14.9	5.91
4272		6.80	815	6.80	815	6.80	815	100.0	0.0	0.0	0.0	0.0	0.00
4273		6.68	801	6.71	804	5.17	619	100.0	0.0	22.5	0.0	22.9	1.65
4274		6.90	827	6.90	827	6.90	827	100.0	0.0	0.0	0.0	0.0	5.02
4275		7.28	872	7.28	872	7.28	872	100.0	0.0	0.0	0.0	0.0	0.33
4278		7.51	900	7.51	900	7.51	900	100.0	0.0	0.0	0.0	0.0	0.00
4288		7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	0.73
4290		6.86	822	6.90	827	6.00	719	100.0	0.0	12.4	0.0	12.9	5.15
4292	Solvent (Applicator Cleaner)	6.76	810	6.86	822	4.46	534	100.0	0.0	33.9	0.0	34.8	3.52
4293		6.31	756	6.31	756	6.31	756	100.0	0.0	0.0	0.0	0.0	0.00
4294	Solvent (Applicator Cleaner)	6.69	802	6.70	803	6.03	722	100.0	0.0	0.0	0.0	0.0	0.66
4296		6.78	813	6.79	813	6.45	773	100.0	0.0	4.8	0.0	5.0	5.83
4309		6.68	801	6.69	801	6.02	721	100.0	0.0	9.8	0.0	10.0	2.16
4530	Solvent (Applicator Cleaner)	6.58	789	0.00	0	0.00	0	100.0	0.0	0.0	0.0	0.0	0.00
4540		6.71	804	6.71	804	6.71	804	100.0	0.0	0.0	0.0	0.0	0.00
4550	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	8.03	962	8.03	962	8.03	962	100.0	0.0	0.0	0.0	0.0	0.00
5827		6.57	787	6.56	786	4.92	589	100.0	0.0	24.9	0.0	24.9	1.47
5830	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.05	845	7.17	859	5.73	686	100.0	0.0	18.6	0.0	19.9	5.03

Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
5837		6.79	814	6.83	818	5.80	695	100.0	0.0	14.5	0.0	14.9	2.64
6716		6.31	756	6.31	756	6.31	756	100.0	0.0	0.0	0.0	0.0	0.00
6727		7.01	840	7.01	840	7.01	840	100.0	0.0	0.0	0.0	0.0	4.50
6736		6.66	798	6.67	799	5.81	696	100.0	0.0	12.8	0.0	12.9	4.11
ACS-100		7.09	850	6.65	797	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
ADV-100		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
ADV-101		6.66	798	6.67	799	5.81	696	100.0	0.0	12.8	0.0	12.9	4.11
ADV-102		6.87	823	6.92	829	5.89	706	100.0	0.0	14.3	0.0	14.9	5.26
ADV-103		6.84	820	6.87	823	5.98	716	100.0	0.0	12.5	0.0	12.9	5.45
ADV-104		7.05	845	7.17	859	5.73	686	100.0	0.0	18.6	0.0	19.9	5.03
ADV-105		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
ADV-106		6.57	787	6.56	786	4.92	589	100.0	0.0	24.9	0.0	24.9	1.47
ADV-107		6.63	795	6.65	797	4.79	574	100.0	0.0	27.6	0.0	27.9	1.27
ADV-108		6.69	802	6.73	806	5.05	605	100.0	0.0	24.5	0.0	24.9	1.65
ADV-109		6.56	786	6.55	785	4.32	518	100.0	0.0	33.9	0.0	33.8	1.35
ADV-110		6.79	814	6.83	818	5.80	695	100.0	0.0	14.5	0.0	14.9	2.64
ADV-111		6.78	813	6.85	821	5.14	616	100.0	0.0	24.1	0.0	24.9	1.96
ADV-112	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
ADV-114	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
ADV-115	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	6.76	810	6.86	822	4.46	534	100.0	0.0	33.9	0.0	34.8	3.52
ADV-116	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.46	894	7.46	894	7.46	894	100.0	0.0	0.0	0.0	0.0	1.44
ADV-117	Solvent (Applicator Cleaner)	6.57	787	6.30	755	0.20	24	100.0	0.0	0.0	0.0	0.0	0.00
ADV-120	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	6.29	754	6.29	754	6.29	754	100.0	0.0	0.0	0.0	0.0	0.06
ADV-121	Solvent (Applicator Cleaner)	6.71	804	6.71	804	6.71	804	100.0	0.0	0.0	0.0	0.0	0.00
ADV-122		7.21	864	7.21	864	7.21	864	100.0	0.0	0.0	0.0	0.0	7.20
ADV-123		7.22	865	7.22	865	7.22	865	100.0	0.0	0.0	0.0	0.0	7.19
ADV-124		6.50	779	6.50	779	6.50	779	100.0	0.0	0.0	0.0	0.0	0.00
ADV-125		6.56	786	6.56	786	6.56	786	100.0	0.0	0.0	0.0	0.0	0.00
ADV-127		6.76	810	6.76	810	6.76	810	100.0	0.0	0.0	0.0	0.0	0.37
ADV-130		6.45	773	6.45	773	6.45	773	100.0	0.0	0.0	0.0	0.0	1.06
ADV-140		6.61	792	6.62	793	4.76	570	100.0	0.0	27.7	0.0	27.9	1.50
ADV-154		6.91	828	6.91	828	6.91	828	100.0	0.0	0.0	0.0	0.0	3.88
ADV-155		8.03	962	8.03	962	8.03	962	100.0	0.0	0.0	0.0	0.0	0.00

Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
ADV-160		6.84	820	6.61	792	3.82	458	96.4	0.0	40.3	0.0	41.9	1.82
ADV-170		7.06	846	6.89	825	5.30	635	96.5	0.0	21.4	0.0	22.9	1.12
ADV-180		7.53	902	7.28	872	7.28	872	96.7	0.0	0.0	0.0	0.0	1.39
ADV-185		6.88	824	6.96	834	5.43	651	100.0	0.0	20.9	0.0	21.9	1.30
ADV-189		6.36	762	6.36	762	6.36	762	100.0	0.0	0.0	0.0	0.0	0.00
ADV-190		6.31	756	6.31	756	6.31	756	100.0	0.0	0.0	0.0	0.0	0.00
ADV-192	Solvent (Applicator Cleaner)	6.58	789	0.00	0	0.00	0	100.0	0.0	0.0	0.0	0.0	0.00
ADV-193		6.38	765	6.38	764	6.38	764	100.0	0.0	0.0	0.0	0.0	0.41
ADV-194	Solvent (Applicator Cleaner)	6.90	827	6.90	827	6.90	827	100.0	0.0	0.0	0.0	0.0	5.02
ADV-195		7.02	841	7.02	841	7.02	841	100.0	0.0	0.0	0.0	0.0	4.50
ADV-90A		6.81	816	6.83	818	5.88	704	100.0	0.0	12.7	0.0	13.1	3.11
ADV-98		7.09	850	6.65	797	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
ADV-99		6.95	833	6.95	833	6.95	833	100.0	0.0	0.0	0.0	0.0	6.57
API-500		6.84	820	6.87	823	5.98	716	100.0	0.0	12.5	0.0	12.9	5.45
API-510		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
API-600		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
APT-642		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
BPS-007		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
BPS-009		7.09	850	6.65	797	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
CTL-160		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
CTL-170		6.87	823	6.92	829	5.89	706	100.0	0.0	14.3	0.0	14.9	5.26
EURO-100		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
EURO-3842		7.09	850	6.65	797	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
EXCEL-100		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
FM-100		6.84	820	6.87	823	5.98	716	100.0	0.0	12.5	0.0	12.9	5.45
FM-200		6.51	780	6.51	780	6.51	780	100.0	0.0	0.0	0.0	0.0	0.61
FM-202		6.63	795	6.65	797	4.79	574	100.0	0.0	27.6	0.0	27.9	1.27
FM-203		6.69	802	6.73	806	5.05	605	100.0	0.0	24.5	0.0	24.9	1.65
FM-204		6.78	813	6.85	821	5.14	616	100.0	0.0	24.1	0.0	24.9	1.96
FM-300		6.38	765	6.38	764	6.38	764	100.0	0.0	0.0	0.0	0.0	0.41
FNE-034		6.57	787	6.56	786	4.92	589	100.0	0.0	24.9	0.0	24.9	1.47
FNE-109		6.90	827	6.90	827	6.90	827	100.0	0.0	0.0	0.0	0.0	5.02
FNE-111		7.02	841	7.02	841	7.02	841	100.0	0.0	0.0	0.0	0.0	4.50

Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
FNE-116		6.84	820	6.61	792	3.82	458	96.4	0.0	40.3	0.0	41.9	1.82
FNE-117		7.06	846	6.89	825	5.30	635	96.5	0.0	21.4	0.0	22.9	1.12
FNE-118		7.53	902	7.28	872	7.28	872	96.7	0.0	0.0	0.0	0.0	1.39
FNE-22		6.69	802	6.73	806	5.05	605	100.0	0.0	24.5	0.0	24.9	1.65
FNE-608		6.66	798	6.67	799	5.81	696	100.0	0.0	12.8	0.0	12.9	4.11
FNE-642		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
FNE-661		6.87	823	6.92	829	5.89	706	100.0	0.0	14.3	0.0	14.9	5.26
FNE-697		6.95	833	6.95	833	6.95	833	100.0	0.0	0.0	0.0	0.0	6.57
FNE-699		7.09	850	6.65	797	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
FNE-75	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
FNE-830		6.68	801	6.69	801	6.02	721	100.0	0.0	9.8	0.0	10.0	2.16
FNE-85	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
FNE-901		6.36	762	6.36	762	6.36	762	100.0	0.0	0.0	0.0	0.0	0.00
FNE-919	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	6.31	756	6.31	756	6.31	756	100.0	0.0	0.0	0.0	0.0	0.00
FNE-95	Clear Ctg, Color Ctg, Single-Stage Ctg, Primer (Thinner)	7.46	894	7.46	894	7.46	894	100.0	0.0	0.0	0.0	0.0	1.44
FNE-99A		7.21	864	7.20	863	7.17	859	100.0	0.0	0.5	0.0	0.3	3.07
FNE-ACETON	Solvent (Applicator Cleaner)	6.58	789	0.00	0	0.00	0	100.0	0.0	0.0	0.0	0.0	0.00
FNE-ARO100		7.28	872	7.28	872	7.28	872	100.0	0.0	0.0	0.0	0.0	0.33
FNE-MEK	Solvent (Applicator Cleaner)	6.71	804	6.71	804	6.71	804	100.0	0.0	0.0	0.0	0.0	0.00
FP815P		8.20	983	6.52	781	6.52	781	79.5	0.0	0.0	0.0	0.0	0.26
FPRW5260		7.74	928	0.00	0	0.00	0	100.0	0.3	99.7	0.3	99.7	0.00
FPRW5270		8.89	1065	0.00	0	0.00	0	100.0	0.2	99.8	0.2	99.8	0.00
FPRW5280		10.04	1203	0.00	0	0.00	0	100.0	0.1	99.9	0.1	99.8	0.00
GRO1260	er, Pretreatment Ctg, Primer, Primer Sealer, Single-Stage Ctg,	7.74	928	0.00	0	0.00	0	100.0	0.0	63.5	0.0	74.7	0.00
GRO1270	er, Pretreatment Ctg, Primer, Primer Sealer, Single-Stage Ctg,	8.89	1065	0.00	0	0.00	0	100.0	0.0	36.8	0.0	49.8	0.00
GRO1280	er, Pretreatment Ctg, Primer, Primer Sealer, Single-Stage Ctg,	10.04	1203	0.00	0	0.00	0	100.0	0.0	0.0	0.0	0.0	0.00
HIT0150	er, Pretreatment Ctg, Primer, Primer Sealer, Single-Stage Ctg,	6.65	797	6.66	798	5.85	701	100.0	0.0	11.9	0.0	12.1	3.27
KE-20	er, Pretreatment Ctg, Primer, Primer Sealer, Single-Stage Ctg,	6.78	813	6.79	813	6.45	773	100.0	0.0	4.8	0.0	5.0	5.83
KE-46		6.87	823	6.92	829	5.89	706	100.0	0.0	14.3	0.0	14.9	5.26
MEK		6.71	804	6.71	804	6.71	804	100.0	0.0	0.0	0.0	0.0	0.00
PPP3601		6.90	827	6.90	827	6.90	827	100.0	0.0	0.0	0.0	0.0	5.02
PPP3605		6.90	827	6.90	827	6.90	827	100.0	0.0	0.0	0.0	0.0	5.02
PPP4601		6.58	789	0.00	0	0.00	0	100.0	0.0	0.0	0.0	0.0	0.00

Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested. The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution. The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.) The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.) This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
PPP4604		6.58	789	0.00	0	0.00	0	100.0	0.0	0.0	0.0	0.0	0.00
PPP4605		6.58	789	0.00	0	0.00	0	100.0	0.0	0.0	0.0	0.0	0.00
PPP4655		6.58	789	0.00	0	0.00	0	100.0	0.0	0.0	0.0	0.0	0.00
PPP5501		7.09	850	6.65	797	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
PPP5505		7.09	850	6.65	797	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
PPP5515		7.09	850	6.65	797	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
PPP5555		7.09	850	6.65	797	4.07	488	100.0	0.0	0.0	0.0	0.0	3.27
PPP5601		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
PPP5605		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
PPP5615		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
PPP5655		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
PPP5701		6.87	823	6.92	829	5.89	706	100.0	0.0	14.3	0.0	14.9	5.26
PPP5705		6.87	823	6.92	829	5.89	706	100.0	0.0	14.3	0.0	14.9	5.26
PPP5901		6.57	787	6.56	786	4.92	589	100.0	0.0	24.9	0.0	24.9	1.47
PPP5905		6.57	787	6.56	786	4.92	589	100.0	0.0	24.9	0.0	24.9	1.47
PPP6001		6.69	802	6.73	806	5.05	605	100.0	0.0	24.5	0.0	24.9	1.65
PPP6004		6.69	802	6.73	806	5.05	605	100.0	0.0	24.5	0.0	24.9	1.65
PPP6005		6.69	802	6.73	806	5.05	605	100.0	0.0	24.5	0.0	24.9	1.65
PPP6201		7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
PPP6205		7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
PPP6301		7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
PPP6304		7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
PPP6305		7.43	890	7.43	890	7.43	890	100.0	0.0	0.0	0.0	0.0	1.44
PPP6401		7.46	894	7.46	894	7.46	894	100.0	0.0	0.0	0.0	0.0	1.44
PPP6405		7.46	894	7.46	894	7.46	894	100.0	0.0	0.0	0.0	0.0	1.44
PPP9601		6.36	762	6.35	761	6.35	761	100.0	0.0	0.0	0.0	0.0	0.00
PPP9604		6.36	762	6.35	761	6.35	761	100.0	0.0	0.0	0.0	0.0	0.00
PPP9605		6.36	762	6.35	761	6.35	761	100.0	0.0	0.0	0.0	0.0	0.00
PPP9701		6.38	765	6.38	764	6.38	764	100.0	0.0	0.0	0.0	0.0	0.41
PPP9704		6.38	765	6.38	764	6.38	764	100.0	0.0	0.0	0.0	0.0	0.41
PPP9705		6.38	765	6.38	764	6.38	764	100.0	0.0	0.0	0.0	0.0	0.41
PSE-50		6.89	826	6.93	830	6.10	731	100.0	0.0	11.4	0.0	11.9	5.60
PSP-66		6.61	792	6.63	794	3.33	399	100.0	0.0	48.6	0.0	48.9	2.57

Detailed GROW Package VOC

All data contained in this chart represents package formula values. Depending on the requirements of the regulatory body, one or more of these sets of data would be requested.
 The "VOC Regulatory - Less Water Less Exempt" represents the weight of volatiles minus water and exempt solvent weight contribution, per unit volume product minus water and exempt solvent volume contribution.
 The "VOC Actual" entry represents the weight of the volatiles minus water and exempt weight contribution per unit volume (which includes water and exempt solvent volume contribution). (This entry is sometimes referred to as VOC, as calculated by Rule 1171, also referred to as VOC emissions.)
 The "Pounds of Organic VoHAP per Gallon of Product" represents the weight of organic VoHAP per unit volume (including volatile volume contribution.)
 This chart is revised periodically. To obtain the most accurate values check for updates on a regular basis.

Product Code	Applicable Use Category(ies)	Density	Density	VOC Regulatory - Less Water Less Exempt	VOC Regulatory - Less Water Less Exempt	VOC Actual	VOC Actual	Wt. % Volatiles	Wt. % Water	Wt. % Exempt Compounds	Vol. % Water	Vol. % Exempt Compounds	Pounds of Organic VoHAP per Gallon of Product
		lbs/gal	gm/ltr	lbs/gal	gm/ltr	lbs/gal	gm/ltr						lbs/gal
SUPER66		6.91	828	6.91	828	6.06	726	99.8	0.0	3.2	0.0	9.9	3.21
ULTRA99		7.00	839	6.71	804	4.88	585	100.0	0.0	0.0	0.0	0.0	2.57
WS4152		7.44	892	6.55	785	3.28	393	100.0	0.0	0.0	0.0	0.0	0.00